



File Name: Carver fanmaster 2000 manual.pdf

Size: 1483 KB

Type: PDF, ePub, eBook

Category: Book

Uploaded: 1 May 2019, 16:29 PM

Rating: 4.6/5 from 612 votes.

Download Now!

Please check the box below to proceed.



I'm not a robot



reCAPTCHA
[Privacy](#) - [Terms](#)

Book Descriptions:

Carver fanmaster 2000 manual



The Fanmaster is designed to fit on to the back of the installation box of any Carver. The integral elements are automatically or manually switchable between On/Off. Can you suggest anything hi looking for a slid control for a carvar 5500 turbo fan master heater. User name lloydwjones or search Repair to Carver Caravan Space In the Lunar manual it says press the restart button but I cannot locate it. Do you have. Could this be caused by a faulty element and if this is the cause Try tailoring the broken board by soldering all the dry joints, getting a new one is only by buying a new. The logged keystrokes are saved into a text file and can be 9 Aug 2018 Ive recently bought a year 2000 Abbey GTS Vogue 216 that has a Carver 5500 Turbo Fanmaster heater fitted, but no instruction manual, Ive recently bought a year 2000 Abbey and it has a Carver 5500 Turbo Fanmaster manual for my water heater which I think is also made by Carver. Any help 11 Apr 2010 In my Swift Classic Baronette 2000 i have a carver 5500 turbo fanmaster space heater with blown air. This has two slider controls on the top Carver Fanmaster 230V electric element replacement instructions These instructions detail the correct procedure for installing replacement Carver Fanmaster Carver gas fired heater on which the. Fanmaster is mounted, but not by both at the same time. The built in elements are automatically or manually switchable Hi looking for a slid control for a carvar 5500 turbo fan master heater. As no manuals came with the van, he said it would be good to get hold of a manual for the Carver Gas Fire and I wondered if anybody on. Carver Sc Manual. 1800, 2000 or 3000 heater and the air may be heated either by the Carver. The integral elements are automatically or manually switchable between On/Off. Carver 1800 Burner Feed Pipe 602535 4.20. Carver Fire Room Heater Piezo Igniter 602562. 22 May 2013. Carver SBE 1800 manual Caravan Repairs, Servicing and Maintenance. <http://kuzfarm.ru/images/ecs-geforce6100pm-m2-user-manual.xml>

- **carver 2000 fanmaster manual, carver fanmaster 2000 manual, carver fanmaster 2000 manual pdf, carver fanmaster 2000 manual download, carver fanmaster 2000 manual free, carver fanmaster 2000 manual diagram.**




Camping and Caravanning Forums,Campsites,reviews,free classified. Carver 1800s caravan heater manual. Get file. Caravan gas fire carver 1800 gas fire testing. Carver 1800 gas fire for caravan or motorhomes. Carver 1800 sc. Caravanning Carver Cascade 2 water heaters and SB1800 heaters manuals, some technical advice, repair details, testing gas systems and gas safety. The Carver SC1800 gas fire wouldnt light, so I had to take the. Deals with printsellers and publishers of engravings, manuals on art and architecture, etc. 2047 Salaman, Malcolm C. The old engravers of England in relation to contemporary life and art, 15401800. 1907.. S. C. Kaines Smith. 1922.. 2068 Green, David B. Grinling Gibbons his work as carver and statuary, 1 6481 721. Carver Trumatic Manual SB1800 and SD2000 PDF Only, Download in Adobe PDF format. Carver gas fired heater on which the. The built in elements are automatically or manually switchable. 12 Nov 2014 39 sec Uploaded by Lomondside CaravanTesting the ignition on a caver gas fire.. I have a marauder2 caravan gas heater I think its a. We have a Carver SB 1800 heater which is gas only.. The SB1800 is a totally manual heater, It has no batteries and no thermostat.. It applies to all models of the 1800, except that is the 1800S and SC, these dont have the. CARVER. INSTALLATION AND SERVICING. INSTRUCTIONS. FOR THE. 1.7 The Carver 1800s heater is approved to the relevant sections of B.S. 5258 part. 30 Aug 2017. Tel Or Text 07954581360 Please be aware this heater is untested hence spares or repair CARVER 1800 GAS FIRE FOR CARAVAN OR. David Carver Caldwell, Peggy Anderson Caldwell.As no manuals came with the van, he said it would be good to get hold of a manual for the Carver 1800 Gas Fire and I wondered if anybody on.. including Alamo Industries, Allen Acres, Arcadia, S.C., and others, 1967. C R. L. Polk. CITY DIRECTORY, including Birchwood Park, Canterbury Hills, Carver Gardens, and others, 1967..http://dhins.com/testingsites/advantage_aviation/assets/media/ecs-geforce6100sm-m-manual-pdf.xml



Instructors manual for Exposition, a rhetoric and reader with literary emphasis.. A directory of antique French furniture, 1735-1800. Carver 1800 Sc Gas Heater Problem. By sampvt, May 15. It is a dual fuel unit, this means that it runs on 240v mains electric and gas. This allows the whole caravan to be kept a specific temperature. 240 Volt Operation This unit cannot be used as a convector heater, it will over heat with out the fan in operation. Gas Operation The gas control knob is also located on top of the space heater body. There are two types of gas ignition, manual and automatic according to the model of heater. The manual type uses a press down pitzo ignighter. To use, turn the dial to 10 or the ignition sign and depress, hold for a few seconds then depress the pitzo ignighter a click will be heard, if the burner does not light depress the pitzo until it does, it may take a while for the gas to come through. If it still does not light it may be over gassed, leave the heater for a few minuets and try again. When the burner lights the flame will be visible through the viewing window in the heater cover. Keep the knob depressed for 10 seconds then release, the main burner will light. Use the dial to set burner to desired setting. The automatic type of heater is fitted with electronic ignighter as you depress the heater knob it will operate a microswitch sending a spark down to the burner. Keep the knob depressed until the "click" stops, this will indicate that the burner has lit. Keep the knob depressed for 10 seconds then release, the main burner will light. When on is pressed a light will appear at gas auto fan and flash. If this setting isn't required press the on button again and the light will move to Gas slow fan, repeat until the required setting is reached. The light will flash then stay lit, this indicates that all is ok and your chosen setting will be put into operation.

This can be set to the required point on the dial and will control the burner operation. Elec Slow Fan As gas slow fan but for the electric operation of the heater. To stop any operation of the fanmaster, press off at any time. Remember to switch off the mains electric switch to avoid over heating. There may be an outlet that doesn't have a controller, this is to protect the fan from over heating. I also want to find a copy of the instruction manual for my water heater which I think is also made by Carver. Any help would be greatly appreciated, Kind regards, Steve I also want to find a copy of the instruction manual for my water heater which I think is also made by Carver. Carver no longer exist. However, the good news is that Truma have taken over their product range, so spares etc. The following sites might be able to help with the manuals in paper form, but I too couldnt find a PDF

version. HTH, Geoff I also want to find a copy of the instruction manual for my water heater which I think is also made by Carver. HTH, Geoff Thanks Geoff, Ill try the web addresses youve posted. The main reason for trying to find the instruction manual for the fire, is to find out what the different settings do on the top of the fire. Steve. Learn more opens in a new window or tab This amount is subject to change until you make payment. For additional information, see the Global Shipping Programme terms and conditions opens in a new window or tab This amount is subject to change until you make payment. If you reside in an EU member state besides UK, import VAT on this purchase is not recoverable.




<http://eco-region31.ru/bosch-washing-machine-manual-english>

For additional information, see the Global Shipping Programme terms and conditions opens in a new window or tab Learn More opens in a new window or tab Learn More opens in a new window or tab Learn More opens in a new window or tab Learn More opens in a new window or tab The item may have some signs of cosmetic wear, but is fully operational and functions as intended. This item may be a floor model or shop return that has been used. See the seller's listing for full details and description of any imperfections. You're covered by the eBay Money Back Guarantee if you receive an item that is not as described in the listing. Find out more about your rights as a buyer opens in a new window or tab and exceptions opens in a new window or tab. Contact the seller opens in a new window or tab and request post to your location. Please enter a valid postcode. Please enter a number less than or equal to 2. We may receive commission if your application for credit is successful. Terms and conditions apply. Subject to credit approval. We may receive commission if your application for credit is successful. All Rights Reserved. User Agreement, Privacy, Cookies and AdChoice Norton Secured powered by Verisign. Delivered anywhere in UK Old carver fanmaster I believe to be in good order but would need to be checked as it hasn't been used for a number of years. Located in Leek Carver 2000 fanmaster Caravan. Great used condition. Selling due to sale of the business, please contact for details. 250.0 Cash on collection ONLY from Lichfield. No PayPal please. Beautiful carver fanmaster. Used but in good condition. Located in Lichfield. Paypal only, no returns and any questions please ask. Thank you. This item was removed from my motorhome as I did upgrade to a new Truma heater it was working since last day. Dispatched free with royal mail 1st class signed for.

<http://idc504.com/images/call-of-duty-3-ps2-manual.pdf>

CARVER

**FANMASTER
WARM AIR FAN HEATER
INSTALLATION INSTRUCTIONS**



PLEASE LEAVE THESE INSTRUCTIONS WITH THE APPLIANCE

www.vetcamper.info - a useful website for owners and enthusiasts of VW T4 Transporter Campervans

Please note that by purchasing these handmade items you are helping me to support several charities Honest sale. Cash on collection from Pontefract only For more details give me a call Cheers Carver Fanmaster Wall Switch We only accept Paypal. Please make sure your shipping address is as listed in Paypal. Please allow up to five working days. We will only post items when we have received cleared funds Ktg caravan and campers selling quality parts carver fanmaster wall switch control panel. Bare unit only as seen in pics. A Carver Fanmaster Caravan. In excellent condition. A Happy to combine postage or collection from Mirfield Excellent value at just 300. Will be posted from Runcorn. Ania Darek, October 19, 2014 in Inne Na gazie działa ogrzewanie. Za wszelką pomoc z góry dziękuję CF 5500, to prawie to samo, co CF 4000, MK2. Pierwszy fragment instrukcji jest od 4000, natomiast druga instrukcja jest dla CF 2000, ale może zorientujesz się na czym polega obsługa. Jeśli zasilanie, bezpieczniki i podłączenia są OK, to może być uszkodzony moduł sterowania grzałek lub grzałki. Ponieważ z Twojego posta wynika, że nie masz odpowiedniej wiedzy w tym zakresie, to w razie usterki, lepiej powierzyć sprawę dobremu fachowcowi serwisowi. IMHO Nie stykała wtyczka zasilająca 230V. Instrukcje bardzo się przydały. Paste as plain text instead Display as a link instead Clear editor Upload or insert images from URL. We have a Carver SB 1800 heater which is gas only.. The SB1800 is a totally manual heater, It has no batteries and no thermostat.. It applies to all models of the 1800, except that is the 1800S and SC, these don't have the. Find great deals for Carver 1800 Gas Fire for Caravan or Motorhomes.. 1800. Type. Heaters. Item Type. Heaters. SubType. Manual. Manufacturer Part. As no manuals came with the van, he said it would be good to get hold of a manual for the Carver 1800 Gas Fire and I wondered if anybody on. Carver Trumatic Manual SB1800 and SD2000 PDF Only, Download in Adobe PDF format.

<https://www.iesebre.com/images/call-of-duty-2-manual-xbox-360.pdf>



CARVER. INSTALLATION AND SERVICING. INSTRUCTIONS. FOR THE. 1.7 The Carver 1800s heater is approved to the relevant sections of B.S. 5258 part. Carver gas fired heater on which the. The built in elements are automatically or manually switchable. Caravanning Carver Cascade 2 water heaters and SB1800 heaters manuals, some technical advice, repair details, testing gas systems and gas safety. You do not need any other parts, no fiddling around with clips or glue to mount replacement boards, just remove and unplug the old slider switch, plug in your new switch, refit with the screws provided, replace heater front, job done. Takes about 10 minutes. If you have switch problems then this unit could bring new life and modern styling to your heater. The new switch is shown fitted on the left, the right hand picture shows the old style slide switch. The failure of the old type switches was due to the circuit board or the slide switch contacts, replacement circuit boards are available but do not address the problem of worn out contacts and are difficult to fit. This switch assembly is made with high quality components and has a circuit board with through plated holes which are a type of reinforced solder connection that help to prevent broken joints that have caused failures in the old units. The rotary switches in this design give a more positive feel when operating and the numbers help to mark preferred settings. Rear mounted light emitting diode leds show through the fascia to indicate the selected function. These units come individually boxed with fixings, fitting and operating instructions. Registered design protected. You are the light of the world. Stopped working during the weekend when on mains. The fan is dust free. The control panel seems to work and the fan too. Does anyone have any ideas. My dog does like to lie right on one of the vents. I am wondering if the thermal cutout has tripped. My autosleeper manual says it can be reset via flap in the wardrobe.

I have found said flap and behind it is a screw down cover on the top left side of the heater, into which the mains and 12v cable go. I have managed to remove the cover and can see the terminals for the wires, but no reset switch. not easy to access via flap. Does anyone have any advice on where the reset switch is or if anything else may be the problem. Thanks in advance. Stopped working during the weekend when on mains. Thanks in advance. I may be wrong, but I am sure that the fan is 12 volt. HTH, Jock. I had to remove half the wardrobe to get better access but obviously pressed something as the heater now works. Please enter your desired user name, your email address and other required details in the form below. Note that passwords are case sensitive. Follow the checkout instructions. Although it will direct you to a Paypal site, you have the option of paying with a credit card on the webpage. Once you have paid, send me your Fanmaster PCB. If the board is corroded or been the subject of a chemical spillage then we may not be able to economically repair it. We will firstly subject your board to a full test. If, on arrival, the board tests OK and we can detect no fault with the board, then you will be charged only a testing fee of 15 602958, L808176 or 25 604504. Your tested board will be returned to you. If your item fails to be returned, we will provide proof of postage to you if required, but the process of compensation claim with the carrier and subsequent proof of value is the responsibility of the customer. Our repair charges will still stand in these cases. By joining our free community you will have access to post topics, communicate privately with other

members PM, respond to polls, upload content and access many other special features. Registration is fast, simple and absolutely free so please, join our community today If you have any problems with the registration process or your account login, please contact us.

<https://www.uppld.org/wp-content/plugins/formcraft/file-upload/server/content/files/16273871f0b5da---brio-installation-manual.pdf>

This has two slider controls on the top one for the temperature range and the other does the different electric bits i.e fan speed, 1kw electric fan heating, 2kw heating ect. I do not seem to be able to get any heat at all out of any of the slider positions although the fan is working. On the other side of the heater there is controls for the gas operations which although sometimes difficult to ignite does seem to work o.k. Can anyone help with suggestions or experiences please as its driving me mad. Thanks Kevnjax. Reduce Speed I Page 20 and 21 SAFETYANDSECURITYFire. Page 22 and 23 WARNING The electronic test button Page 24 and 25 SERVICESConnection of Services. Page 26 and 27 WHALE AQUASOURCETO use an online Page 28 and 29 Services8. Tu Page 57 and 58 Fitted EquipmentTravel CatchTRAVEL Page 59 and 60 Fitted EquipmentTo light the oven1. Page 61 and 62 Fitted EquipmentCARVER SPACE HEATER Page 63 and 64 Fitted EquipmentWhen using electric Page 65 and 66 Fitted EquipmentOne outlet on each Page 67 and 68 Fitted EquipmentNote. The choice of Page 69 and 70 Fitted EquipmentThe heater must onl Page 71 and 72 Fitted EquipmentTimed Override 1 Page 73 and 74 Fitted EquipmentPRIMUS HEATING SYST Page 75 and 76 Fitted Equipment8. Slide the Cassette Page 77 and 78 Fitted EquipmentTHETFORD CASSETTEC Page 79 and 80 Fitted Equipment10. After use open Page 81 and 82 Fitted EquipmentTHETFORD CASSETTE C Page 83 and 84 Fitted Equipment9. To open the blade Page 85 and 86 Fitted EquipmentFig. AFig. BFig. CB Page 87 and 88 Fitted EquipmentDROP DOWN BUNKThe b Page 89 and 90 Fitted EquipmentROOF LIGHTSWhen open Page 91 and 92 Fitted EquipmentTABLESSlide top of Page 93 and 94 MAINTENANCECaravan Exterior. Page 95 and 96 Maintenancecleaning materials at al Page 97 and 98 ALKO RUNNING GEARCoupling HeadThe b Page 99 and 100 This system is much more user friendly Page 101 and 102 3. Towing BallThe automobile towing Page 103 and 104 GENERALDATAFault Finding.

chloroacetic-acid.com/upload/files/20220518_030734.pdf

Page 105 and 106 Fault FindingWATER continuedProbl Page 107 and 108 Fault FindingCASSETTE TOILETProblem Page 109 and 110 Useful InformationThe enjoyment of Page 111 Quality with StyleSWIFT CARAVANS, D show all Thank you, for helping us keep this platform clean. The editors will have a look at it as soon as possible. M Summerbee Posted 31 May 2010 1054 AM Subject RE electric blown heating Just joined Posts 10 Location Manchester Hi, expert Im new to all this,its a Carver Fanmaster 1830 watt 10 amp fuse,motor is 12DC 16 watt 5 amp fuse, wall switch is type with on off switches at bottom then about 6 selections,fan gas electric etc with thermostat wheel, serial number on heater is 00022047. The 10 amp fuse had failed after winter,didnt have one so put 13 amp in worked ok after this,was ok all weekend but now blowing cold, all lights etc working on wall switch.Done nothing yet apart from check any connections all ok, hope this helps and thanks for reply M Summerbee Posted 31 May 2010 1054 AM Subject RE electric blown heating Just joined Posts 10 Location Manchester Hi, expert Im new to all this,its a Carver Fanmaster 1830 watt 10 amp fuse,motor is 12DC 16 watt 5 amp fuse, wall switch is type with on off switches at bottom then about 6 selections,fan gas electric etc with thermostat wheel, serial number on heater is 00022047. The 10 amp fuse had failed after winter,didnt have one so put 13 amp in worked ok after this,was ok all weekend but now blowing cold, all lights etc working on wall switch.Done nothing yet apart from check any connections all ok, hope this helps and thanks for reply Brambles Posted 31 May 2010 1154 AM Subject RE electric blown heating Forum master Posts 4157 This link might help you as on page 12 page 9 of pdf file there is a fault finding flow chart. As the 10 Amp fuse blew I suspect there is either a short in wiring or the heating element. Replacing with a 13 Amp fuse is very taboo and

unsafe.

You must always replace with the recommended rating and type. Brambles Posted 31 May 2010 101 PM Subject RE electric blown heating Forum master Posts 4157 Re your Private messages Your welcome. Glad you have a copy of manual now and hope it helps. Why Not JOIN NOW and get instant access to more of the website. It costs nothing to join and only takes a few minutes. We also have unique facilities not found elsewhere such as our Online Logbook, stopover tracker, Caravan Business directory with Ebay type feedback and a repository of caravan campsites reviews. It has a cascade water heater, but we cannot find the water heater switch anywhere in the van. Does anybody have a manual for this van that they could email me or tell me exactly where to find the heater switch. However, it also appears that the black box that should be underneath the water heater has too been removed as well as the switch that should be at the bottom of the bed box. However, it also appears that the black box that should be underneath the water heater has too been removed as well as the switch that should be at the bottom of the bed box. However, it also appears that the black box that should be underneath the water heater has too been removed as well as the switch that should be at the bottom of the bed box. The vehicle you use to tow your caravan is also a crucial factor. Here too Chartered Trust can help. We have a wide choice of motor finance programmes, each designed to meet the varied needs of the private or business motorist. So, when it comes to caravanning or just motoring, Chartered Trust can provide the ideal combination. Written quotations available on request Newport Road, Cardiff CF2 1SR Telephone 01222 3 Introduction INTRODUCTION DEAR OWNER, THANK YOU FOR DECIDING TO BUY ONE OF OUR NEW CARAVANS. CARAVAN TERMS Mass in Running Order The mass of the caravan as stated by the caravan manufacturer, as new with standard fixtures and fittings.

This is made up of 3 sections Personal effects, optional equipment and essential habitation equipment. The user payload is the difference between the Maximum Technically Permissible Laden Mass and the Mass in Running Order. Essential Habitation Equipment Those items and fluids required for safe and proper functioning of the equipment for habitation as defined by manufacturer of the caravan. Personal Effects Those items which a user can choose to carry in a caravan and which are not included as Essential Habitation Equipment or Optional equipment. Optional Equipment Items made available by the manufacturer over and above the standard specification of the caravan. Maximum Technically Permissible Laden Mass The maximum weight for which the caravan is designed for normal use when being towed on a road, laden. This should not be exceeded. This mass takes into account specific operating conditions including factors such as the strength of materials, loading capacity of tyres etc. Nose weight That part of the static mass of the caravan supported by the towing device on the rear of the towing vehicle. Notes i When measuring the noseweight it is important that the caravan is fully loaded. Do not place extra items indiscriminately into the caravan after this adjustment has been made. ii The caravan is intended to be towed slightly nose heavy. The nose weight can be adjusted by distribution of the load within the caravan. The nose weight should be approximately 7% of the actual laden weight but not greater than the hitch capacity and at the same time suit the towing vehicle. See section on Measurement of Nose Weight. iii It is not recommended that you tow with just a battery, spare wheel and gas bottles as this may exceed the the permitted nose weight. Additional payload must be placed behind the axle to compensate for this or consider repositioning the wheel to a underfloor carrier.

7 The Towing Code TOWING VEHICLE TERMS Kerb weight Mass of Vehicle in Running Order The weight of the towing vehicle as defined by the vehicle manufacturer. This is normally with a full tank of fuel, with an adequate supply of liquids incidental to the vehicles propulsion, without driver or passengers, without any load except loose tools and equipment with which the vehicle is normally provided and without any towing bracket. Power to weight ratio No hard and fast rules can be stated but, here is a general guide. a Conventional petrol engines with a capacity up to approximately 1500

cc should be adequate for towing a YES 85% Fig. MAYBE Note The towing vehicle manufacturer's limit is, in some cases, less than the kerb weight. Vehicles with automatic transmission may need an oil cooler fitting or the SAE rating of the gearbox oil increasing when towing. The advice of the vehicle manufacturer should be sought. Mass in Running Order Caravanners can use a public weighbridge to establish the mass in running order. EQUAL NO Note Weighbridges have varying weight tolerance levels. Maximum Permissible Towing Mass The weight defined by the vehicle manufacturer as being the maximum that the vehicle is designed to tow. Train Weight Combination Weight The maximum combined weight of the towing vehicle and trailer combination as specified by the towing vehicle manufacturer. 3 8 The Towing Code MEASUREMENT OF NOSEWEIGHT Noseweight may be measured using a proprietary brand of noseweight indicator. Such equipment is obtainable at your Caravan Dealer. Note These indicators have a varying tolerance level. Another simple method is to use bathroom scales under the coupling head with a piece of wood, fitted between the coupling head and the scales, of such length that the caravan floor is horizontal with the jockey wheel raised clear of the ground. Fig. A Noseweight can be adjusted simply by distribution of weights in the caravan. Always 4 Fig.

A Measuring Noseweight lower jockey wheel before entering the caravan and then raise before measuring again. See Loading. Note The height of the towball on the towing vehicle, when laden, is also critical. TYPE OF DRIVING LICENCE HELD In order to be able to tow a caravan a driver must hold a Category B licence. Note The unladen weight of a car is normally less than the kerbside weight. Fire blanket approved to BS 6575 is ideal for dealing with fat pan fires. Fire extinguisher It is strongly recommended that a fire extinguisher is carried in the caravan. For suitable types see Safety and Security. Gas bottles Bottled L.P. gas is the most convenient portable source of fuel. Two bottles are required for a constant supply. An initial deposit is payable on each cylinder. We recommend the use of 6kg Propane or 7kg Butane bottles. One position for use and one for storage only. For detailed information see Services Gas. Jack A suitable jack is essential screw, scissor, side mounted or air jack type. Many car jacks are unsuitable. Levellers Levellers help level the caravan from side to side before unhitching. Proprietary products can be purchased from your caravan dealer and need to be positioned as indicated by a spirit level. Spare Wheel It is always advisable to carry a spare wheel for your caravan. Spirit Level A spirit level is extremely useful when siting the caravan. Stabiliser Stabilisers help to dampen the side to side movement of the caravan. One end fits to the car's towing bracket and the other end to the caravan. See Stability 9 The Towing Code Torque Wrench A torque wrench is the only way that the exact recommended torque can be achieved for wheel nuts and bolts. See Preparing for the Road Towing bracket Car manufacturers recommend that their own bracket is fitted at a specialist dealer, to ensure that it is fixed to the correct mounting points.

Never use cheap alternatives, obtain one manufactured by a reputable company complying with the relevant standards. Wooden blocks Wooden blocks typically 25cm. Water Containers Two containers are required, one to carry fresh water to the caravan and one for waste water, which needs to be disposed of properly. These are necessary to energise the road lights and caravan auxiliary circuits respectively. 12 Volt Battery A deep cycling, heavy duty leisure type battery should be purchased to provide backup power for lights, refrigerator and other electrical appliances. See Battery. WARNING Your caravan dealer should be consulted if additional equipment is to be fitted as strong points may or may not be provided in the design. Note Fitting additional equipment will reduce the caravan allowable payload. BEFORE LOADING CHECK loose articles are stowed securely. Do not stow tins, bottles or heavy items in overhead lockers prior to towing. all lockers and cupboard doors are closed and secured. all bunks are secure. all rooflights are closed and secured. main table is stored in its transit position. fridge is on 12v operation and door lock is set. all windows are fully closed and latched. Never tow with windows on nightsetting. Leave all curtains and blinds open to aid rear visibility. gas cylinders are correctly positioned, secured and turned off. battery is secure

and mains connecting cable is disconnected and stowed. 12v distribution panel selector switch is set to centre position. WARNING Isolate all gas appliances before setting off. a c Fig. A Loading your caravan **LOADING AND DISTRIBUTION OF WEIGHT IN THE CARAVAN** Do not exceed recommended maximum loading for your caravan. 1. Load heavy items low down near the floor and mainly over or just in front of the axles Fig. A. 2. Load evenly right to left so that each caravan wheel carries approximately the same weight. 3.

<http://superbia.lgbt/flotaganis/1649500914>