



Dynamic Dolphin Remote



Basic Operation Instructions

File Name: Dolphin Remote Manual.pdf

Size: 1443 KB

Type: PDF, ePub, eBook

Category: Book

Uploaded: 7 May 2019, 18:42 PM

Rating: 4.6/5 from 788 votes.

Status: AVAILABLE

Last checked: 12 Minutes ago!

In order to read or download Dolphin Remote Manual ebook, you need to create a FREE account.

[Download Now!](#)

eBook includes PDF, ePub and Kindle version

☐ [Register a free 1 month Trial Account.](#)

☐ [Download as many books as you like \(Personal use\)](#)

☐ [Cancel the membership at any time if not satisfied.](#)

☐ [Join Over 80000 Happy Readers](#)

Book Descriptions:

We have made it easy for you to find a PDF Ebooks without any digging. And by having access to our ebooks online or by storing it on your computer, you have convenient answers with Dolphin Remote Manual . To get started finding Dolphin Remote Manual , you are right to find our website which has a comprehensive collection of manuals listed.

Our library is the biggest of these that have literally hundreds of thousands of different products represented.



Book Descriptions:

Dolphin Remote Manual

WaterProof Remote Control. Balboa. Instruments. Incorporated Features And Functions.....4.
Key Charts.....5. Installing Batteries.....7. Programming TV Control.....8.
Setup Codes for TVs.....8. Programming VCR Control.....12. Setup Codes for
VCRs.....12. Programming Cable Converter To Unlock the Cable Key.....18. To Program
the Cable Key.....18. To Lock the Cable Key.....19. Setup Codes for Cable
Converters.....19. Setup Codes for DBS Receivers.....20. Programming Channel Control
Lock.....21. To Activate Channel Control Lock.....21. To DeActivate Channel Control Lock.....21.
Programming Audio Control.....22. Setup Codes for CD Players.....23. Setup Codes for DVD
Players.....24. Setup Codes for Stereo Receivers.....24. Setup Codes for Stereo
Amplifiers.....25. Setup Codes for DBS Audio Services.....25. Searching For Your Code.....26.
Checking The Codes.....27. ReAssigning Device Keys.....28. Changing Volume
Lock.....29. To Change Volume Lock to the CABLE Mode 29. To Change Volume Lock to the
TV Mode...29. To Change Volume Lock to the VCR Mode..29. To Change Volume Lock to the RCVR
Mode.29. Using the Learning Feature.....30. Specifications.....34. Compliance with
FCC Rules and Regulations 35. Troubleshooting.....36 It is designed with It's packed with
easy to use features such as Before you can use your new remote control, you The LED red light blinks
to show that the remote Press POWER once to turn on or off the selected Use SETUP for all
programming sequences. Press AUDIO, VCR, TV, or CBL once to select a See next page for
descriptions of the buttons in Press MUTE once to turn sound off or
on. <http://aries-avia.com/userfiles/70-6502-manual.xml>

- **dolphin m500 remote manual, maytronics dolphin remote control manual, dolphin m5 remote control manual, dolphin remote manual, dolphin remote manual pdf, dolphin remote manual free, dolphin remote manual instructions, dolphin remote manual downloads, dolphin remote manual 2017, dolphin remote manual software, dolphin remote manual online, dolphin remote manual transmission, maytronics dolphin remote control manual, dolphin wave 200xl remote manual.**

Press LAST once to recall the last channel and to Use the GREEN phosphorescent buttons to
control Press ENTER once after entering channel numbers In the VCR and TV modes, use the REW,
PLAY, FF, REC, STOP, and PAUSE keys to control your VCR. To record a program, press REC
twice. Use GUIDE to display the program guide. Use EXIT to exit out of your cable converter's Use
the four directional keys to move the cursor in Once they are all started, snug up one screw Repeat
this in a This will assure an Use INFO to display current channel and program Press MENU once to
display your cable converter's Dolphin will blink twice with every key press. Simply replace the
batteries and the remote will Locate the brand name of your TV in the Setup. Codes For TVs section
below, and write it in the TV Brand. The brands are listed in alphabetical order with On the Dolphin,
press TV once. Press and hold. SETUP until the LED blinks twice, then release NOTE If the LED did
not blink twice after entering If it does not NOTE Remember, to use the Dolphin to operate Setup
Codes for TVs. A Mark Admiral. Adventura. Aiko. Akai. Alaron. Ambassador. Anam. Anam National.
Archer. Audiovox Belcor. Bradford. Brockwood. Broksonic Carnivale. Carver. Celebrity. Cinal.
Citizen Harvard Kenwood. Kloss Luxman Majestic. Marantz. Matsushita. Megatron. Memorex.
Midland. Minutz. Mitsubishi. Motorola. Multitech Noshi. Onwa. Optimus. Optonica. Orion. Panasonic.
Penney. Philco. Philips. Pilot. Pioneer. Portland. Prism. Proscan. Proton. Pulsar. Quasar Realistic.
Rhapsody. Runco Samsung. Samsux. Sansei. Sansui. Sanyo. Scimitsu. Scotch. Scott.

SearsVictorYamahaLocate the brand name of your VCR in the Setup. Codes For VCRs section below, and write it in theVCR Brand. The brands are listed in alphabetical order withNOTE If the LED did not blink twice after enteringIf your VCRNOTE Remember, to use the Dolphin to operateSetup Codes for VCRs. Admiral. Aiwa. American High. Asha. AudiovoxBroksonicCanon. Capehart. Citizen. Colt. Craig. Curtis Mathes.<http://elgazargroup.com/70-net-ups-manual.xml>

Cybernex. Daewoo. Daytron. Denon. Dynatech. Electrohome. Electrophonic. Emerex. EmersonHarwoodMagnin. Marta. Minolta. MultitechNikon. Noblex. Olympus. Pentax. Profitronic. Protec. Quarter. Quartz. QuasarRadix. Randex. Realistic. Ricoh. RuncoSanky. Sears. Semp. SharpVideo Concepts 0045, 0061. VideosonicThe brands are listed in alphabetical order withCombo. If you perform this procedureNOTE If the LED did not blink twice after enteringCode on page 26.If there is no separate TV code listed, you will needSetup Codes for. Brocksonic. Curtis Mathis. Emerson. FunaiMagnin. QuasarSanyo. Sharp. Sony. Symphonic. ZenithNOTE Remember, to use the Dolphin to operateBefore you program the control to operate a cableNOTE Remember, to use the Dolphin to operateCABLE first. To unlock the Cable keyTo lock the Cable keyTo program the Cable keySetup Codes For Cable Converters or Setup. Codes For DBS Receivers section starting onCable Converter BrandDBS Receiver Brand. The brands are listed in alphabetical order withOn the Dolphin, press CBL once. SETUP until the LED blinks twice, then releaseConverter or DBS Receiver. If you perform thisNOTE If the LED did not blink twice after enteringAim the Dolphin at your Cable Converter or DBS. Receiver and press POWER once. The unit shouldCode on page 26.Cable ConvertersAmericast. Contec. General. Instrument. GoldStar. Hamlin. Jerrold. Macom. Movie TimeOptimus. Paragon. QuasarRunco. Samsung. Scientific. Atlanta. Sprucer. StarcomToshiba. Viewstar. ZenithDBS Receivers. AlphaStar. Echostar. Expressvu. InstrumentHughesMagnavox. Next Level. PrimestarStar Choice. Toshiba. Uniden. ZenithThis will guarantee that youTV or VCR. To Activate Channel Control LockLED blinks twice, then release SETUP.TV, VCR, or CBL, only the channel controlNOTE This feature does not affect the Audio mode. To DeActivate Channel Control LockLED blinks twice, then release SETUP.The LED will blinkVCR mode.DBS audio service.

Locate the brand name of your audio componentCD Player BrandDVD Player BrandStereo Receiver BrandStereo Amplifier BrandDBS Audio Brand. The brands are listed in alphabetical order withNOTE If the LED did not blink twice afterCode on page 26.NOTE Remember, to use the Dolphin to operateAiwaAudio LabMagnavox. Onkyo. ProscanSony. Technics. Yamaha. ZenithStereo ReceiversDenonStereo Amplifiers. DenonMagnavox. Victor. Wards. YamahaDBS Audio Services. JerroldStarcomComponent does not respond to the Dolphin afterIf you have set up the Dolphin using theFor example, to search for a code for your TV. For example, to find out which code is operatingLED blinks twice, then release SETUP.LED blinks twice, then release SETUP.Stop when the TV turns off.NOTE In the search mode, the Dolphin willNOTE If a code digit is "0", the LED will notFinish writingTV Code. VCR Code. CABLE Code. AUDIO CodeFor example, to haveAUDIO key to operate the second VCR as follows. The Dolphin is set to control volume of aLED blinks twice, then release SETUP.Programming VCR Control on page 12. To reassign other device keys, repeat steps 1To ReAssign. Perform Key Sequence. TV as 2nd VCR keyControl, Programming Cable Control, or. Programming Audio Control. If your TV is not remote controllable, or if youLock setting to control a volume through a nonassociated mode e.g., through the cable in the TVTo change Volume Lock to the CABLE modeLED blinks twice, then release SETUP.LED will blink twice.To change Volume Lock to the TV modeLED blinks twice, then release SETUP.LED will blink twice.To change Volume Lock to the VCR modeLED blinks twice, then release SETUP.LED will blink twice.To change Volume Lock to the RCVR mode. NOTE Performing these steps will allow you toLED blinks twice, then release SETUP.LED will blink twice.NOTE Please have your original remote controlsOriginal Remote.

<https://labroclub.ru/blog/creative-zen-x-fi-owner-s-manual>

Programming A Learning KeyThe LED will blinkIf the LED does not blinkPoint the originalLED bump

that is Dolphin Remote Control blinks twice. If the LED Remote Control, press and hold SET until the LED Deleting Functions From The Learning Keys The Dolphin Remote Control URC9811 can be Command Center. NOTE The Dolphin remote control transmits both Command Center for extended remote control NOTE The RF signal transmitted by the Dolphin. Command Center. It should provide Center. Dolphin into another room in your home, up The device e.g., TV should turn on. If it does not Command Center Reception. Adding The IR Signal Extension Cord. Signal Extension Cord for use with a home theater. Command Center. Plus remote control into another room in your. Select a device key IR signal and transmit that signal through the IR. Signal Extension Cord to turn on your device e.g., Reception. Here are some adjustment tips for optimizing the Batteries on page 4. Weak batteries will affect NOTE The tests for range limits of the HT Pro Plus If you are having problems remotely controlling a Remote Control Dimensions H x W x D Remote Control Weight without Batteries These limits are designed to provide reasonable If this equipment does cause harmful interference NOTE Specifications are typical. Individual units Specifications are subject to change and The user is cautioned that changes and FCC Authorization Label. This device complies with part 15 of the FCC Rules. Operation is subject to the following two SOLUTION Replace the batteries with two 2 new AA PROBLEM LED blinks when you press a key, but home SOLUTION Make sure you are aiming the Dolphin at PROBLEM The Dolphin does not control home SOLUTION Try all listed codes for the component SOLUTION Use the VCR codes for your brand. Some PROBLEM No volume on a second TV. SOLUTION Follow instructions in Changing Volume. Lock see page 30. SOLUTION Due to RCA design 1983/1987, only the PROBLEM Changing channels does not work properly.

SOLUTION If original remote control required ENTER on the Dolphin after entering a PROBLEM Tried "Search Method" and still could not SOLUTION Try the "Search Method" again after Press and hold ENTER until red light blinks PROBLEM Remote control does not turn on Sony or. SOLUTION For power on, these products require For Sony, use TV code 0000 and VCR code VCR code 0048. PDF Version 1.3. Linearized No. Create Date 20021220 220440Z. Modify Date 20030103 1132440800. Page Count 19. Creation Date 20021220 220440Z. Mod Date 20021220 1407560800. Producer Acrobat Distiller 5.0.5 for Macintosh. Author. Metadata Date 20021220 1407560800. Creator. Title Dolphin Manual. Page Mode UseThumbs. Please choose a different delivery location. Our payment security system encrypts your information during transmission. We don't share your credit card details with thirdparty sellers, and we don't sell your information to others. Please try again. Please try again. Keep your Dolphin pool cleaner in its best condition. Show details. Ships from and sold by RDW Deals. In order to navigate out of this carousel please use your heading shortcut key to navigate to the next or previous heading. Register a free business account Please try your search again later. To calculate the overall star rating and percentage breakdown by star, we don't use a simple average. Instead, our system considers things like how recent a review is and if the reviewer bought the item on Amazon. It also analyzes reviews to verify trustworthiness. Please try again later. Time Holm 2.0 out of 5 stars But if you have a spot you want cleaned, it does work. I just turn the Dolphin on and leave it alone and it cleans pool with no worry. We have a lot of trees so the pool upkeep is constant. Pool construction is just about done but we've used the cleaner probably around 20 times already as landscaping around the inground pool plus the constant high winds we've had lately keep the pool dirty thus requiring the use of the robot.

I've only used the big bag and the medium filters so far for cleaning. I think the big bag is mostly for leaf pickup but I've been using it to clean up sunken sticks and leaves, plus some ground that sank to bottom. And for some reason, whenever it rains worms just love to crawl in there and sink. The robot gets all this stuff very nicely. Cleaning the bag is a pain though. No easy way. I don't have time to wash it in machine after every use. So I let the bag in unit for maybe 5 runs, then unhook it and rinse it off with hose to get junk out. The bag can hold A LOT more debris obviously than the pleated filters. I find myself washing them with hose after almost every time which is the reason I stop using

them for the time being. I think those are mainly for a pretty clean pool. Until the pool is done being landscaped, Ill stick with the big bag made of canvas. Have to assume its because the floats on handle are not set properly. The brushes are new so it cannot be those as mentioned in the manual. 4. The unit only seems to run a process for about an hour and this cannot be adjusted to my knowledge for say 2 or 3 hours at a time. The buttons on power pack are only for how many times a week but who actually uses the robot like that. I pull mine out after every run or two to wash it out after disconnecting the power which resets everything anyways. 5. We also bought the remote which is pretty useless. No instructions except a few words on basics. The manual movement works but is very painfully slow to move the robot around. As for the quick cycle which will tell the robot to NOT try and move up the walls, DOES NOT WORK. Tried everything and cannot get those two functions on the remote to change anything. Still runs an hours and always TRIES to go up the walls but cannot. 6. Lastly we have a steel liner pool which has the hopper design. The robot constantly gets stuck straddling those hopper lines where it doesnt have a flat surface to run on.

It will try to climb up when it knows it cant. It will be stuck there trying for maybe a few minutes before giving up and backing by down. Its been sitting in a drawer since, hence the waste of money for me. The dolphin responds to it in a very. The dolphin responds to it in a very erratic way that it is impossible to get it to go where you want it to. Complete waste of time and money, dont even bother. I got it as a just in case thing but dont expect it will be used much. In order to navigate out of this carousel please use your heading shortcut key to navigate to the next or previous heading. Set it for just one week or to repeat on a weekly basis. You can also switch to Tilt mode, for a more playful and realistic experience. Unfortunately, shortly after the Wii Remote Pluses came out, a new Wii Remote Plus type appeared. Whereas the standard Wii Remotes and the very first Wii Remote Pluses register as RVLCONT01, the new Wii Remotes register as RVLCONT01TR. Since all Wii Remotes for sale in stores since 2011 are TR Wii Remotes, this has become a growing problem. Fortunately, they can work with Dolphin with some special requirements. This guide tells you how to connect and use a RVLCONT01TR Wii Remote Plus in Dolphin. While the addition of the sync button on the battery cover is the common way to tell nonTR Wii Remote Pluses from TR Wii Remote Pluses, even that is not 100% reliable. The only way to know for sure to is connect it to a computer and see if it is registered as RVLCONT01TR. Refer to Bluetooth Passthrough for details. Use the normal connecting methods shown in Configuring Controllers. It only requires a device be paired beforehand. All four lights on the front of the controller should be flashing. To get the Bluetooth passcode you must find the Bluetooth address of the Wii remote. Starting with Dolphin 4.08325, if youre using Windows 8 or newer, all you need to do to connect TR Wii Remotes is the typical Wii Remote connectivity as described in Configuring Controllers.

If youre running Windows 7 or earlier youll have a previous version of MS Bluetooth Stack that lacks some Bluetooth functions which the TR Wii Remote uses. In that case you have two solutions for this problem, the DolphinBar or the Toshiba Bluetooth Stack. Both have superior Bluetooth functionality and not only allow TR Wii Remotes to work, but also fix minor Wii Remote bugs that are present in the MS Bluetooth Stack used on Windows 7 and earlier. It doesnt reveal any of the Bluetooth information to the operating system, instead sending HID packets directly to Dolphin without a Bluetooth Stack, thus allowing TR support, syncing of Wii Remotes, and other features superior to what the Toshiba Stack can offer. However, since it does this, it is only useful for supported Wii controllers, and cannot be used as a full Bluetooth adapter. Full details are available in the DolphinBar Hardware Review, and links to purchase one are available on our Recommended Accessories page. However, it requires the additional step of connecting Wii Remotes through the Toshiba Stack instead of just through Dolphin. Use the newest version; it has the highest known compatibility. If the newest version doesnt work feel free to try older ones. Please be aware that Toshiba Stack will start in trial mode when using on a unsupported dongle subjected with forced driver installation, and will eventually require a supported adapter to continue use of the

software. There is a small possibility that the adapter not in the list can be used with Toshiba Stack, through the installation with an edited driver file, as instructed in the later section. But please acknowledge that it is preferably for experienced users only. The instruction will be divided at some point for the users and their specific adapters throughout this guide, starting from the first step in the next section below. There are no settings to worry about, so just click through.

This is where the users will be interacting with the Toshiba Stack on a regular basis, and it is necessary for the next section. The Bluetooth Settings window Press the Sync button on the bottom of the TR Wii Remote. Note the green and yellow lines clasping each others this means the Bluetooth is presently connected. The Wii Remote will continue to flash, it is normal. Clasped lines indicate a connected Wii Remote Dolphin will immediately detect the Wii Remote and it will be used upon starting a game. To reconnect the Wii Remote, just double click it. A window will pop up asking to prepare the Wii Remote once again. It will be reconnected in a matter of seconds. Naturally, the adapters not in the list are not supported and will be skipped. It is possible to make a workaround by adding the excluded adapters USB\VID into the list. It will either show up as a Bluetooth radio or as an unknown device. Plug it back in, and it will reappear into the list. In other words, the Device Manager updates live. Note the second shorter value. This is the USB\VID of the Bluetooth adapter. Copy it into the Notepad. Notice that there are three long lists. Then erase the USB\VID of this new entry and replace it with the one for the Bluetooth adapter that was collected from last subsection. An example of device file in its original unedited state New line is highlighted in blue After this, there is a name in parentheses. Change it to the way you want to recognize it for yourself. Toshiba wont rely on it in any way. So, after modifying tosrfsusb.inf its signature wont be valid anymore and Windows will block the installation unless Driver Signature Enforcement is disabled. Follow these steps on Windows 7 Save everything and be prepared beforehand. Install the driver. The process may take some time, and errors may appear during it. Ignore them. Paste the following into Notepad and save it as a.reg file, then run it. Our FAQ page has answers to many common questions.

Learn More The wisest purchase we have made in a long time. Click Here We love to pump it, filter it, heat it, chlorinate it, light it up and stare at it while were barbequing a fat, juicy steak. There are real pool professionals working here. Our guys have seen thousands of pools in their careers, no exaggeration.

<http://www.liga.org.ua/content/creative-zen-x-fi-style-8gb-manual>